

ISSN Online 2704-4890 ISSN Print 2720-7609

## Commentary

HSI Journal (2024) Volume 5 (Issue 1):586-587. https://doi.org/10.46829/hsijournal.2024.6.5.1.586-587

## Progress and future directions in breast cancer research and treatment

**Regina Appiah-Opong** 

<sup>1</sup> Department of Clinical Pathology, Noguchi Memorial Institute for Medical Research, College of Health Sciences, University of Ghana, Accra, Ghana

Received April 2024; Revised May 2024; Accepted June 2024

Keywords: Breast cancer, genomic profiling, immunotherapy, precision medicine, early detection

*Cite the publication as* Appiah-Opong (2024). Progress and future directions in breast cancer research and treatment. HSI Journal 5(1):586-587. https://doi.org/10.46829/hsijournal.2024.6.5.1.586-587.

Breast cancer remains a major prevalent and challenging disease worldwide including in the field of oncology [1]. Although significant progress has been made in diagnosis and treatment, the disease continues to pose substantial challenges in research and clinical fields. This commentary aims to highlight recent breakthroughs, current challenges, and future directions in breast cancer research and treatment.

The advent of genomic and molecular profiling has revolutionized our understanding of breast cancer [2]. The next-generation sequencing technique, for instance, allows for the detailed characterization of tumour genomes, leading to the identification of specific mutations and alterations that drive cancer progression. Such insights have made it possible to develop target therapies such as HER2 and PARP inhibitors, exhibiting significantly improved outcomes for some patients. Immunotherapy, particularly immune checkpoint inhibitors has shown promise in breast cancer treatment, especially triple-negative breast cancer [3]. The latter has traditionally been difficult to treat due to the absence of hormonal receptors and HER2 expression. Thus, introducing pembrolizumab and atezolizumab, both immune checkpoint inhibitors, has opened new avenues for treatment. Current research in this area is focused on identifying biomarkers and predicting responses to immunotherapy, thus, optimizing patient selection and efficacy of therapies. Also, Precision medicine is emerging as significant in breast cancer care. This treatment is based on the individual characteristics of patients and their

\* Corresponding author Email: rappiah-opong@noguchi.ug.edu.gh tumours [4]. Multigene assays, including Oncotype DX and MammaPrint, may be used to assess the risk of recurrence and guide decisions about adjuvant therapy. Overtreatment is avoided when these tests are carried out and the side effects of unnecessary chemotherapy are reduced. In addition, Advances in imaging and surgical approaches have led to the adoption of minimally invasive procedures for breast cancer diagnosis and treatment [5]. Sentinel lymph node biopsy and oncoplastic surgery are some techniques that not only improve cosmetic outcomes but also reduce surgical morbidity. Moreover, techniques such as Magnetic Resonance Imaging and ultrasound have enhanced the accuracy of tumor localization and biopsy.

One of the commentaries in this issue of the Journal has stated that cancer is among non-communicable diseases (NCDs) of growing concern in Ghana [6]. According to the authors, the major underlying causes of the increasing prevalence of NCDs in Ghana are obesity and unhealthy diet. The continuing increase in NCD prevalence is anticipated, therefore, Ghana is at risk of overtaking several high-income countries. This issue also contains an original research article on a study that aimed to profile serum lactate dehydrogenase in breast cancer patients as a chemotherapy response index [7]. The researchers reported that serum LDHA mRNA levels and total LDH activity in breast cancer patients were reduced after the third cycle of chemotherapy. The serum mRNA level decreased significantly compared to the enzyme activity. The change in the LDHA mRNA level ratio identified serum LDHA mRNA as a good candidate for predicting chemotherapy response in patients.

share 📑 💓 🚺 📊

Online first publication

CrossMark

Send us an email: hsijournal@ug.edu.gh

Visit us: https://www.hsijournal.ug.edu.gh

Copyright © 2024 University of Ghana College of Health Sciences on behalf of HSI Journal. All rights reserved. This is an Open Access article distributed under the Creative Commons Attribution 4.0 License.



Resistance to therapy, whether intrinsic or acquired, remains a significant challenge in cancer therapy [1]. Notwithstanding the efficacy of targeted therapies and chemotherapies, several patients develop resistance, leading to disease progression. Understanding the mechanisms underlying resistance and developing strategies to overcome it are crucial areas of current research. Disparities in breast cancer outcomes also persist across different populations [8]. Socioeconomic status, race, and geographic location appreciably influence access to care, therapeutic options, and survival rates. Addressing these disparities through improved access to screening, education, and treatment is necessary to ensure equitable care for all patients. Another challenge to breast cancer treatment is the psychosocial impact of breast cancer diagnosis and treatment. Some patients face significant emotional, psychological, and social challenges, which can affect their quality of life and treatment adherence. Thus, integrating psychosocial support into cancer care is necessary to address the holistic needs of patients and improve their overall well-being.

For future directions, early detection remains a goal for successful breast cancer treatment. Research into novel

## REFERENCES

- Barrios CH (2022) Global challenges in breast cancer detection and treatment. Breast 62 (Suppl 1): S3-S6. Doi: 10.1016/j.breast.2022.02.003
- Kittaneh M, Montero AJ, Gluck S (2013) Molecular Profiling for Breast Cancer: A Comprehensive Review. Biomarkers in Cancer 5: 61-70. doi: 10.4137/BIC.S9455
- Qureshi S, Chan N, George M, Ganesan S, Toppmeyer D, Omene C (2022) Immune Checkpoint Inhibitors in Triple Negative Breast Cancer: The Search for the Optimal Biomarker. Biomarker Insights 17:11772719221078774. doi: 10.1177/11772719221078774
- Stover DG, Wagle N (2015) Precision medicine in breast cancer: genes, genomes, and the future of genomically driven treatments. Current Oncology Reports 17(4):15. doi: 10.1007/s11912-015-0438-0
- Holloway CM, Easson A, Escallon J, Leong WL, Quan ML, Reedjik M, Wright FC, McCready DR (2010) Technology as a force for improved diagnosis and treatment of breast disease. Canadian Journal of Surgery 53(4):268-277.

biomarkers and imaging techniques which is ongoing is important to improve the sensitivity and specificity of early detection methods. Additionally, liquid biopsies, which detect circulating tumour DNA (ctDNA) in the blood, are promising for early diagnosis, monitoring treatment response, and detecting minimal residual disease. A combination of different therapeutic modalities, for example, targeted therapy, immunotherapy, and hormone therapy, could enhance treatment efficacy and overcome resistance. Currently, some clinical trials on such combination therapies are ongoing. Personalized cancer vaccines, designed to elicit an immune response against tumor-specific antigens, are also an emerging area of research. The needs of breast cancer survivors must be addressed by developing survivorship care plans and integrating them into routine care. Although the fight against breast cancer has seen significant progress, several challenges remain. Continued research and innovation are essential to overcome resistance to therapies, reduce disparities, and improve the quality of life for patients. Through collaboration among researchers, clinicians, patients, and policymakers, we can drive further advancements and move closer to a future where breast cancer is effectively managed and cured.

- Issah I, Roberts S, Kritz J, Bawua SA, Commeh MA, Fobil JN (2024) Increasing burden of chronic diseases in the Ghanaian population: need for behavioural interventions with effective implementation to support the WHO PEN program. Health Sciences Investigations Journal 5(1):686-688. https://doi.org/10.46829/hsijournal.2024.6.5.1.686-688
- Aryee GK, Arko-Boham B, Antwi NEB, Nsaful J, Asamoah PM, Santa S, Quaye O, et al. (2024) Serum Lactate Dehydrogenase as a potential predictive index of chemotherapy response in breast cancer patients. HSI Journal 5 (1): 654-659. https://doi.org/10.46829/hsijournal. 2024.6.5.1.654-659.
- Wheeler SB, Reeder-Hayes KE, Carey LA (2013) Disparities in breast cancer treatment and outcomes: biological, social, and health system determinants and opportunities for research. Oncologist 18(9):986-93. doi: 10.1634/theoncologist.2013-0243

Thank you for publishing with

